



# Food and water contamination

Food and water contaminants are foreign substances that have been unintentionally added to food or water from the environment or during processing or handling. Certain contaminants are harmful to our health, and exposure to unsafe levels of these substances is associated with more than 200 health conditions, ranging from mild stomach upset to serious long-term health complications such as cancer.

## Types of food and water contaminants

	 <b>Biological contaminants</b> Living organisms, also referred to as microbes (e.g., bacteria, parasites), that are capable of causing disease in humans (pathogens). When present at unsafe levels, biological contaminants can cause food spoilage and foodborne illness.	 <b>Environmental toxicants</b> Compounds that can harm animals, humans, or plants. Toxicants are often human-made industrial waste pollutants, but they can also be natural toxic substances, such as the heavy metal arsenic.	 <b>Natural toxins</b> Poisonous chemicals produced by algae, fungi, molds, and certain plants.	 <b>Process contaminants</b> Compounds formed during certain food processing techniques including drying, fermentation, high-temperature cooking (e.g., grilling), and smoking. Emissions of process contaminants can be deposited in soil and water and become environmental toxicants.
Contaminant examples	Escherichia coli, Norovirus, Salmonella	Approved pesticides, North American banned organochlorine pesticides (e.g., DDE, DDT, PCBs), synthetic polymers (plastics), heavy metals (e.g., lead, mercury)	Aflatoxins, allergens, aquatic biotoxins, mycotoxins, poisonous mushrooms	Polycyclic aromatic hydrocarbons (PAHs)
Short-term health risks	Fever, gastrointestinal upset (e.g., abdominal pain, vomiting), meningitis	Eye and skin irritation	Acute inflammation, allergic symptoms (e.g., hives, itching, sneezing), gastrointestinal upset	Eye and skin irritation, gastrointestinal upset
Long-term health risks	Brain and nerve damage, chronic arthritis, kidney failure	Cancer, metabolic syndrome, diabetes, obesity, organ damage, developmental, hormonal, immunological, neurological, reproductive, and respiratory disorders	Cancer, coma, immune deficiency, mortality	Cancer, organ damage, developmental, immune, neurological, and reproductive disorders
Common sources of exposure	Poor sanitation practices, untreated water, unwashed fresh produce, raw or lightly cooked eggs, and raw or undercooked meat, poultry, and shellfish	Fat and skin of meat, poultry, and seafood, unwashed produce, plastic packaging (e.g., bottled water), polluted water	Moldy food, shellfish, and unidentified wild plants and fungi	Cereals, leafy vegetables, polluted water, and dried, grilled, and smoked meats, fish, and seafood

## High-risk populations

Certain individuals are more sensitive to food and water contaminants than others; highly susceptible groups are more likely to become ill, remain ill for longer periods of time, undergo hospitalization, or die from the illness.

### Pregnant women, infants, and children

Pregnant women, infants, and young children are more susceptible to foodborne illness due to reduced immunity. Young children are also particularly vulnerable to environmental toxicants, including pesticides. These chemicals may impact children's neurological and behavioral development, especially when harmful levels of exposure occur before the age of five.

#### Did you know?

Many of the chemical pesticides that build up in the body can be transferred from mother to baby while in utero or through breast milk.

### Individuals with compromised immunity

The elderly, transplant patients, and individuals with certain chronic illnesses, such as cancer or diabetes, may have weakened immune systems that make them more susceptible to foodborne illnesses caused by biological contaminants. Older individuals are also more likely to experience negative health effects from environmental toxicants, such as pesticides. Most pesticides accumulate in fat tissue and begin to cause negative health implications as we age. Coupled with weaker organ function due to age, the liver and kidneys are not able to remove pesticides from the body as efficiently.



# Tips to limit contaminant exposure

Hazardous contaminant exposure generally occurs at very low levels; however, repeated exposure can lead to negative health effects. The following tips can help minimize the consumption and impact of potentially harmful substances in food and water.

## Consume a balanced diet

Eating a balanced diet that is rich in fruits, vegetables, and whole grains supports the immune system and protects against various chronic diseases. The nutrients in a healthy diet support immune cells. [Dietary fiber](#) is an essential component of a healthy diet, and evidence suggests that a fiber-rich diet decreases the risk of certain cancers, including breast cancer and colon cancer. Fiber also supports detoxification by binding to metabolized toxins in order to safely remove them from the body.

Adequate hydration is another way to support toxin removal from the body. Proper functioning of our kidneys and liver, the body's natural detoxification organs, relies greatly on balanced water intake. Water may also be a source of dietary minerals, which can help prevent the absorption of heavy metals.

## Eat organic whenever possible

Buying organic produce can help reduce your exposure to herbicide and pesticide residues, as even after washing, peeling, or scrubbing, residues can still be found in many foods. Certified organic foods are grown and processed according to federal guidelines set by the U.S. Department of Agriculture (USDA). These guidelines address many factors, including soil quality, animal raising practices, and the use of additives and synthetic pesticides.

Though ingestion of any pesticide can be harmful, synthetic pesticides may be especially concerning due to their persistence in the environment

and the human body. DDT (dichloro-diphenyl-trichloroethane), one of the first modern synthetic pesticides, was banned in the United States and Canada in 1972 due to its adverse environmental and health effects. Decades later, residues of this chemical may still be found in crop soils and water supplies.

According to the Environmental Working Group (EWG) nearly 70% of the non-organic fresh produce sold in the United States, may contain residues of potentially harmful pesticides. Each year, the EWG uses USDA pesticide residue data to determine the best produce to buy organic, as certain crops are more likely to carry pesticide residues than others. The EWG's 2021 dirty dozen and clean fifteen lists can be referred to when shopping for organic choices.

### EWG's dirty dozen

Buy organic



Strawberries  
Spinach  
Kale, collard,  
and mustard  
greens



Nectarines  
Apples  
Grapes  
Cherries  
Peaches



Pears  
Bell and  
hot peppers  
Celery  
Tomatoes

### EWG's clean fifteen

Buy conventional or organic



Avocados  
Sweet corn  
Pineapple  
Onions  
Papaya



Sweet peas  
Eggplant  
Asparagus  
Broccoli  
Cabbage



Kiwi  
Cauliflower  
Mushrooms  
Honeydew melon  
Cantaloupe

## Follow food safety procedures

According to the Centers for Disease Control and Prevention (CDC), one of every six people contract foodborne infections each year. Practicing food safety is an important aspect of preventing foodborne illness that begins at the grocery store.

### Choose

- Fresh, local produce when possible
- Items that do not appear bruised, moldy, or otherwise damaged (e.g., dented can, torn packaging)
- Refrigerated items that are cold, and frozen items with no signs of thawing

### Keep

- Raw meat, poultry, seafood, and eggs away from other foods in your shopping cart, bags, and fridge
- Your refrigerator below 40°F (4°C)
- Leftovers for no more than four days

### Clean

- Your hands thoroughly before and after touching food
- Fruits and vegetables under running water by gently rubbing with your hands or scrubbing with a produce brush
- Your counters and cooking utensils immediately after use
- Your refrigerator and storage areas regularly

### Cook

- Meat after trimming visible fat, as many residues are fat soluble
- With a thermometer to ensure foods meet their minimum temperature
- Beef, pork, lamb: 145°F (63°C)
- Fish: 145°F (63°C)
- Ground beef, pork, lamb: 160°F (71°C)
- Turkey, chicken, duck: 165°F (74°C)

## Exercise regularly

According to the CDC, adults should get at least 150 minutes of moderate exercise or 75 minutes of vigorous exercise each week. That's just 30 minutes of moderate exercise or a minimum of 15 to 30 minutes of vigorous exercise per day, five days per week. [Daily exercise](#) can support toxin elimination through sweating, which can help the body excrete heavy metals such as arsenic, cadmium, lead, and mercury.





## References

1. Academy of Nutrition and Dietetics. (2015). Safe food shopping guide - infographic. <https://www.eatright.org/homefoodsafety/multimedia/infographics/safe-food-shopping-guide-infographic>
2. Agency for Toxic Substances and Disease Registry. (2009). Toxicity of polycyclic aromatic hydrocarbons (PAHs). <https://www.atsdr.cdc.gov/csem/pah/docs/pah.pdf>
3. Bouby, N., Clark, W. F., Roussel, R., Taveau, C., & Wang, C. J. (2014). Hydration and kidney health. *Obesity Facts*, 7 Suppl 2, 19–32.
4. Centers for Disease Control. (2020). How much physical activity do adults need? <https://www.cdc.gov/physicalactivity/basics/adults/index.htm>
5. Centers for Disease Control. (n.d.). Introduction to toxicology. [https://www.atsdr.cdc.gov/es/training/toxicology\\_curriculum/modules/1/module-1.pdf](https://www.atsdr.cdc.gov/es/training/toxicology_curriculum/modules/1/module-1.pdf)
6. Childs, C. E., Calder, P. C., & Miles, E. A. (2019). Diet and Immune Function. *Nutrients*, 11(8).
7. Environmental Working Group. (2021). EWG's 2021 shopper's guide to pesticides in produce™. <https://www.ewg.org/foodnews/summary.php>
8. Government of Manitoba. (n.d.). Food safety. <https://www.gov.mb.ca/agriculture/food-safety/>
9. Jayaraj, R., Megha, P., & Sreedev, P. (2016). Organochlorine pesticides, their toxic effects on living organisms and their fate in the environment. *Interdisciplinary Toxicology*, 9(3-4), 90–100.
10. Kieffer, D. A., Martin, R. J., & Adams, S. H. (2016). Impact of dietary fibers on nutrient management and detoxification organs: Gut, liver, and kidneys. *Advances in Nutrition*, 7(6), 1111–1121.
11. Liu, J., & Schelar, E. (2012). Pesticide exposure and child neurodevelopment: summary and implications. *Workplace Health & Safety*, 60(5), 235–242; quiz 243.
12. Mason, S. A., Welch, V. G., & Neratko, J. (2018). Synthetic polymer contamination in bottled water. *Frontiers in Chemistry*, 6, 407.
13. National Pesticide Information Center. (2011). Older adults and pesticides. <http://npic.orst.edu/factsheets/olderadults.html>
14. Office of the Commissioner. (2019). Food safety at home - fact sheet. <https://www.fda.gov/consumers/free-publications-women/food-safety-home>
15. Phillips, D. H. (1999). Polycyclic aromatic hydrocarbons in the diet. *Mutation Research*, 443(1-2), 139–147.

16. Rai, P. K., Lee, S. S., Zhang, M., Tsang, Y. F., & Kim, K.-H. (2019). Heavy metals in food crops: Health risks, fate, mechanisms, and management. *Environment International*, 125, 365–385.
17. Sears, M. E., & Genuis, S. J. (2012). Environmental determinants of chronic disease and medical approaches: Recognition, avoidance, supportive therapy, and detoxification. *Journal of Environmental and Public Health*, 2012, 356798.
18. Sears, M. E., Kerr, K. J., & Bray, R. I. (2012). Arsenic, cadmium, lead, and mercury in sweat: a systematic review. *Journal of Environmental and Public Health*, 2012, 184745.
19. Shankar, S., & Lanza, E. (1991). Dietary fiber and cancer prevention. *Hematology/Oncology Clinics of North America*, 5(1), 25–41.
20. Smith, C. J., & Perfetti, T. A. (2020). A comparison of the persistence, toxicity, and exposure to high-volume natural plant-derived and synthetic pesticides. *Toxicology Research and Application*, 4, 2397847320940561.
21. U.S. Department of Agriculture. (2013). Molds on food: Are they dangerous? <https://www.fsis.usda.gov/food-safety/safe-food-handling-and-preparation/food-safety-basics/molds-food-are-they-dangerous>
22. U.S. Department of Agriculture. (2019). Organic 101: What the USDA Organic label means. <https://www.usda.gov/media/blog/2012/03/22/organic-101-what-usda-organic-label-means>
23. U.S. Environmental Protection Agency. (n.d.). Imazalil. EPA R.E.D. Facts. [https://www3.epa.gov/pesticides/chem\\_search/reg\\_actions/reregistration/fs\\_PC-111901\\_1-Feb-05.pdf](https://www3.epa.gov/pesticides/chem_search/reg_actions/reregistration/fs_PC-111901_1-Feb-05.pdf)
24. U.S. Environmental Protection Agency. (2014). DDT - a brief history and status. <https://www.epa.gov/ingredients-used-pesticide-products/ddt-brief-history-and-status>
25. U.S. Environmental Protection Agency. (2015). Pesticides and food: Healthy, sensible food practices. <https://www.epa.gov/safepestcontrol/pesticides-and-food-healthy-sensible-food-practices>
26. U.S. Food and Drug Administration. (2020). People at risk of foodborne illness. <https://www.fda.gov/food/consumers/people-risk-foodborne-illness>
27. U.S. Food and Drug Administration. (2020). Food Safety for older adults. <https://www.fda.gov/food/people-risk-foodborne-illness/food-safety-older-adults-and-people-cancer-diabetes-hiv-aids-organ-transplants-and-autoimmune>
28. World Health Organization. (2018). Natural toxins in food. <https://www.who.int/news-room/fact-sheets/detail/natural-toxins-in-food>
29. World Health Organization. (2020). Food safety. <https://www.who.int/news-room/fact-sheets/detail/food-safety>.



For more educational content and resources: [www.fullscript.com/learn](https://www.fullscript.com/learn)

This handout was developed and medically reviewed by Fullscript's Integrative Medical Advisory team.

\*These statements have not been evaluated by the Food and Drug Administration. This information is not intended to diagnose, treat, cure, or prevent any disease.

Updated: August 2021